
Design by Lievore Altherr Molina, 2013

Art. 0310

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. The white polypropylene shell (PO101) is upholstered with a removable non-washable cover in leather, coated fabric, fabric or customer's own material. The cover stitching comes in the same color as the upholstery. Stitching on cover 1 and 3 comes in white or black, to customer's choice. The chair is provided already fitted with the cover. Upon request armrests are offered in the same finishes of




Dimensions *



* File CAD 2D - 3D available for download at www.arper.com



Shell



- with stacking pad, without tools up to 8 units
- with stacking pad, with trolley up to 8 units
- with link: with stacking pad, without tools up to 8 units
- with link: with stacking pad, with trolley up to 8 units
- leather / coated fabric: with stacking pad, without tools up to 5 units
 leather / coated fabric: with stacking pad, with trolley up to 5 units
- leather / coated fabric with link: with stacking pad, without tools up to 5 units
- leather / coated fabric with link: with stacking pad, with trolley up to 5 units
- with arms (BV version only): with stacking pad, without tools up to 2 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

Catifa 46

Design by Lievore Altherr Molina, 2013

Accessories:



Link Art. 0258 Stacking protection pad with link Art. 0277



Stacking protection glide Art.



Stacking protection pad Art.



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV



Armrests BV brushed stainless steel

SHIPMENT DETAILS

Art.0310

1 pz = 2 apar - kg 10,6/ m³ 0,272 1 pz = 3 $\frac{1}{100}$ - kg 12,9/ m³ 0,3 4 pz = 2 = - kg 35,44/ m³ 0,368

4 pz = 3 aper - kg 43,12/ m³ 0,404

RESISTANCE TEST

EN 1728:2012 - EN 16139:2013 6.15
 EN 1728:2012 - EN 16139:2013 6.17
 EN 1728:2012 - EN 16139:2013 6.4
 TUV GS (EN16139)

EN 1728:2012 - EN 16139:2013 6.16
EN 1728:2012 - EN 16139:2013 6.18
EN 1728:2012 - EN 16139:2013 6.5

FIRE RETARDANT TEST

surcharge and eventual minimum batch

COL requirement m² 1.97

TECHNICAL SPECIFICATIONS

H 140 cm. COM Meterage m 1.08
*Classe 1, 2, 1IM: fire retardant version available with

Art.0310

Classe 1IM Omologazione Italia Divina MD Kvadrat Divina Melange 3 Kvadrat Divina 3 Kvadrat Elmosoft Field Kvadrat Revive 1 Kvadrat Steelcut Trio 3 Kvadrat Coated fabric Valencia Spradling

ENVIRONMENTAL CERTIFICATIONS



