

Instructions

Develius Mellow^{EV8A-EV8K} Edward van Vliet 2024



Please read these instructions carefully and retain them for future reference to ensure the product is used correctly. For your own safety, please study each step of this instruction manual before attempting installation. &Tradition is not responsible for any faults or damage caused by not following these instructions correctly. Do not modify this product in any way. If you have any questions or comments, please do not hesitate to contact us by mail on: info@andtradition.com


&Tradition[®]

Develius Mellow EV8A-EV8K

Edward van Vliet

2024


In this instruction manual you will find steps for connecting and disconnecting modules, as well as removal and application of upholstery.



Connecting the modules


Step 1 / 2

Rotate the connector brackets underneath the module outwards.



Step 2 / 2


Align the modules and carefully push together until the connector underneath clicks.



Disconnecting modules


Step 1 / 3

To disconnect, hold the module close to where it is attached to the other module and lift until the connector underneath is released.




Step 2 / 3

Separate the modules.



Step 3 / 3


Rotate the connector brackets inwards so that they sit underneath the module.



Removal of upholstery


Step 1 / 6

Turn the module to stand on its back.




Step 2 / 6

Undo the Velcro along the seams on the bottom edge of the module.




Step 3 / 6

Unzip the zipper on the bottom of the module.




Step 4 / 6

Undo the Velcro pieces inside the bottom of the module.




Step 5 / 6

Close the zipper and turn the module upright.



Step 6 / 6


Remove the upholstery.



Application of upholstery


Step 1 / 10

Locate the back and armrest of the upholstery and lay the cover loosely on top of the corresponding parts of the module.




Step 2 / 10

Fold the back and armrest of the upholstery over the seat to find the Velcro straps on the back of the upholstery. Lay the straps out flat pointing towards the gap between the seat and the back/armrest.




Step 3 / 10

Tuck the straps in between the seat and the back/armrest as far as possible, ensuring that you are able to reach them from underneath the module.




Step 4 / 10

Turn the module over onto its back.




Step 5 / 10

Unzip the zipper on the bottom of the module.




Step 6 / 10

Locate the straps previously tucked into the gap and pull to tighten the upholstery before closing the Velcro straps.




Step 7 / 10

Zip up and place the module upright.




Step 8 / 10

Pull the upholstery down to cover the module.



Step 9 / 10

Turn the module onto its back and secure the Velcro along the bottom of the module, ensuring a snug fit. This step helps create a neat and even appearance at the bottom of your sofa.



Step 10 / 10

Stand the module upright and smooth out any wrinkles on the seat, sides, back and armrest.

